














Universal Standing Seam







8/12/20

PART NO.	PRODUCT	SPECIFICATIONS & PACKAGING	
L-501	 <p>12" STANDING SEAM PANEL</p>	<p>.0217" Steel</p> <p>Sold in custom lengths. Specify panel lengths. Add 2" to the panel length for hemming around the starter nose.</p> <p>Do not vertically lap panels</p> <p>Minimum panel length 4'</p>	
L-511	 <p>16" STANDING SEAM PANEL</p>	<p>.0217" Steel</p> <p>Sold in custom lengths. Specify panel lengths. Add 2" to the panel length for hemming around the starter nose.</p> <p>Do not vertically lap panels</p> <p>Minimum panel length 4'</p>	
L-502	 <p>STARTER</p>	<p>5 per carton</p> <p>Length: 10'</p>	
L-517	 <p>F GABLE TRIM</p>	<p>5 per carton</p> <p>Length: 10'</p> <p>Panel slid into pocket and sealed.</p>	
L-518	 <p>Z CLOSURE CLEAT</p>	<p>10 per carton</p> <p>Length: 10'</p> <p>For use with hips, ridges, wall intersections, and pitch changes.</p>	
L-522	 <p>CLEAT</p>	<p>10 per carton</p> <p>Length: 10'</p> <p>Often used with L-535 at pitch transitions.</p>	
L-523	 <p>GABLE EDGE TRIM</p>	<p>5 per carton</p> <p>Length: 10'</p> <p>Use with Combination Gable Cleat L-524.</p>	





Universal Standing Seam

PART NO.	PRODUCT	SPECIFICATIONS & PACKAGING	
L-524	 <p>COMBINATION GABLE CLEAT</p>	<p>5 per carton</p> <p>Length: 10'</p> <p>Use with Gable Edge Trim L-523.</p>	
L-525	 <p>Z VALLEY</p>	<p>5 per carton</p> <p>Length: 10'</p> <p>The EXACT pitch is needed to make the part correctly.</p>	
L-535	 <p>PITCH TRANSITION</p>	<p>5 per carton</p> <p>Length: 10'</p> <p>Use with Z Cleat L-518 or Cleat L-522.</p> <p>Bend on site to specific dimensions and pitch.</p>	
L-543	 <p>SHED RIDGE CAP</p>	<p>5 per carton</p> <p>Length: 10'</p> <p>Use with Shed Ridge Cleat L-544 and Z Cleat L-518.</p> <p>The EXACT pitch is needed to make the part correctly.</p>	
L-544	 <p>SHED RIDGE CLEAT</p>	<p>10 per carton</p> <p>Length: 10'</p> <p>Use with Shed Ridge Cap L-543.</p> <p>Screw to fascia.</p>	
L-548	 <p>TOPWALL FLASHING</p>	<p>5 per carton</p> <p>Length: 10'</p> <p>Use with Z Cleats L-518.</p> <p>The EXACT pitch is needed to make the part correctly.</p> <p>Designed for about 5/8" to be bent back into a reglet 7" above the deck.</p>	

Universal Standing Seam

PART NO.	PRODUCT	SPECIFICATIONS & PACKAGING	
L-549	 SIDEWALL FLASHING	5 per carton Length: 10' Use with Z Cleat L-518. Designed for about 5/8" to be bent back into a reglet 7" above the deck.	
L-550	 TRIM COIL	.0217" x 24" x 25' Steel Trim Coil	
L-565	 1/2 VALLEY TO SIDEWALL	5 per carton Length: 10' Designed for about 5/8" to be bent back into a reglet 7" above the deck.	
L-572	 RIDGE/HIP COVER	5 per carton Length: 10' Use with Ridge/Hip Double Cleat L-573 or Perforated Ridge Cleat L-971 and Z Cleat L-518. The EXACT pitch is needed to make the part correctly.	
L-573	 NON-PERFORATED RIDGE/HIP DOUBLE CLEAT	5 per carton Length: 10' Use with Ridge/Hip Cover L-572 and Z Cleat L-518. The EXACT pitch is needed to make the part correctly.	
L-971	 PERFORATED RIDGE CLEAT	Aluminum 5 per carton Length: 10' Use with Ridge/Hip Cover L-572 and Z Cleat L-518. The EXACT pitch is needed to make the part correctly.	

Universal Standing Seam

PART NO.	PRODUCT	SPECIFICATIONS & PACKAGING	
C-276	 3/4" BUTYL TAPE	3/4" x 3/32" x 50' Use between z cleats and the standing seam panels.	
L-581	 1 1/4" X #10 PANCAKE HEX DRIVE STEEL SCREW WITH NEOPRENE WASHER	Each	
L-582	 1 1/2" PANCAKE HEAD SQUARE DRIVE STEEL SCREW	Each Used for attaching all pieces to the deck.	
L-977	 3/4" x #10 TRUSS HEAD SQUARE DRIVE STAINLESS STEEL SCREW	Each Used for stitching lapped covers.	

Inquire for custom color or metal availability.

Colors Available:

Burnished Slate, Colonial Red, Earth Stone, Green, Midnight, Riverwood, Sierra Tan, Silver Stone, Stone Gate, and Stone White.

NOTE: Custom length panels and pitch specific pieces are not returnable.



8510 Industry Park Dr.
Piqua, Ohio 45356
Tel. 937-773-9840
Toll-Free: 1-800-543-8938
Sales Office Fax: 937-778-5116
www.classicroof.com
info@classicroof.com